

VERMI GmbH
60 Celler Strabe,
38518 Gihforn,
Deutschland

ICE MACHINE

UNION ASIA GROUP
Central 21/F, New World Tower 1, 18
Queen's Road, Hong-Kong,
www.vermi-uag.com

CIK-series

CIK-118D, CIK-125D, CIK-140D

FEATURES



Ice maker **CIK-series** produce ice in form of **DICE**.

The system of production ice of CIK-series is **spray type**.

The **lack of nozzles** facilitates maintenance and improves the reliability of ice maker.

Quick receipt of the first chunk of ice.

Overflow sensor of hopper "Ice Full" ensures the timely turn off ice maker.

Preventative maintenance is simpler than ever easily-removed panels allowing clear access to internal components.

Easy **one button control** on/off and fully automatic operation.



Finger Ice

Dimensions: 18x18 mm, length 20 - 25 mm.

Weight: 11 g

Very clear ice

Warranty

1 year parts and labor on all components

SPECIFICATIONS

Model	Capacity	Basic Electrical	Circuit Breaker	Power input	Refrigerant	Pressure of water system (required)	Ice Storage	Water Consumption
	Kg/24h	V/Hz/Phase	A	W	-	MPa	kg	L/24h
CIK-118D	18	220 - 240/50/1	10	183	R134a	0,1-0,5	7	25
CIK-125D	25	220 - 240/50/1	10	205	R134a	0,1-0,5	13	50
CIK-140D	40	220 - 240/50/1	10	320	R134a	0,1-0,5		


PACKING&SHIPPING

Model number	Unit dimensions (W x D x H), mm	Unit Weight, Kg	Packing dimensions, (W x D x H), mm	PackingWeight, Kg	Loading quantity, pcs/20'	Loading quantity, pcs/40'
CIK-118D	400x500x760	38	450x545x760	40	150	330
CIK-125D	400x500x800	38	450x545x800	41	100	220
CIK-140D	530x490x800	46	540x570x880	50	88	192

OPERATING REQUIREMENTS

	Minimum	Maximum
Air Temperatures	10°C	35°C
Water Temperatures	5°C	25°C
Water Pressure	0,1 MPa	0,5 MPa
Electrical Voltage	-5%	+10%
Remote Condenser Temperatures	-29°C	49°C
Rated capacity of wire	10 A	10 A
Section area of wire	0,75 mm ²	1,0 mm ²

INSTALLATION



*Recommended installation sizes for reliable operation

ACCESSORIES



Water Inlet Tube



Water Drainage Pipe



Ice Spoon



Sealing Washer

CERTIFICATION



Ice Maker CIK-series have been tested for compliance with Directives 89/336/EEC and 72/23/EEC, as evidenced by certificates of CE, given by the company "TUV SUD Product Service GmbH".